

iPassLeader

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

Login / Register

Shopping Cart (3)

Search...



Online Test Engine

Instant Online Access, Test History and Performance Review, Supports Windows / Mac / Android / iOS, etc. →

Desktop Test Engine

Installable Software Application, Simulates Real Exam Environment, Supports MS Operating System, Practice Offline Anytime. →

PDF Format

Printable PDF Format, Prepared by IT Experts, Study Anywhere, Anytime, Free PDF Demo Available. →

Download a free pdf sample of any of our study materials

- ▶ 24/7 customer support, Secure shopping site
- ▶ Free One year updates to match real exam scenarios
- ▶ If you failed your exam after buying our products we will refund the full amount back to you.

Select a vendor... ▼

Select an test... ▼

Your email address

Free Download Demo



48923+
Happy Clients



48923+
Shares



97846+
Downloads



9999+
Years in Business

<http://www.ipassleader.com/>

Everything you need to prepare, learn & pass your certification exam easily.

Exam : A2090-735

Title : Assessment: DB2 9.5 SQL
Procedure Developer

Vendors : IBM

Version : DEMO

NO.1 Given the SQL statement shown below:DECLARE test CURSOR FOR SELECT hiredate FROM

employee FOR UPDATE; Which statement correctly describes the cursor that is created?

- A. The cursor will be considered a read-only cursor.
- B. The cursor can only be used to perform positioned updates.
- C. The cursor can only be used to perform positioned deletes.
- D. The cursor can be used to perform positioned updates and deletes.

Answer: D

NO.2 Which statement should be used to declare an array with at most 10 elements of type INTEGER?

- A. DECLARE sub_total INTEGER[10];
- B. DECLARE sub_total[10] INTEGER;
- C. CREATE TYPE sub_total AS INTEGER[10];
- D. CREATE TYPE sub_total[10] AS INTEGER;

Answer: C

NO.3 Given the statement shown below:SELECT ROW CHANGE TOKEN FOR dept, RID_BIT (dept) FROM

dept WHERE deptno = 'A00' WITH URWhich two statements are true? (Choose two.)

- A. The statement is selecting two columns from DEPT table.
- B. The statement will allow the latest ROW CHANGE TOKEN value to be returned.
- C. The statement will allow the earliest ROW CHANGE TOKEN value to be returned.
- D. The statement will return a TIMESTAMP value.
- E. The statement uses optimistic locking.

Answer: BE

NO.4 Which CREATE PROCEDURE statement option should be used if you plan on issuing a DECLARE

GLOBALTEMPORARY TABLE statement from within the SQL procedure body?

- A. CONTAINS SQL
- B. READS SQL DATA
- C. MODIFIES SQL DATA
- D. LANGUAGE SQL

Answer: C

NO.5 Given the statements shown below: DECLARE c_dept CURSOR WITH HOLD FOR SELECT * FROM

dept; OPEN c_dept; Which two conditions are true? (Choose two.)

- A. C_DEPT will remain open after a ROLLBACK.
- B. C_DEPT will remain open after a COMMIT.
- C. C_DEPT will be returned to the caller of the routine.
- D. C_DEPT will be positioned before the next logical row.
- E. All locks held by C_DEPT will be released after a COMMIT.

Answer: BD

NO.6 What are two valid DECLARE statements in an SQL procedure? (Choose two.)

- A. DECLARE var1 INTEGER;
- B. DECLARE var1 DECIMAL [9];
- C. DECLARE var1 XML;
- D. DECLARE var1 CURRENT DATE;
- E. DECLARE var1[10] INTEGER;

Answer: AC

NO.7 Which steps must be followed to return a result set from an SQL procedure?

- A. 1. Create the procedure using the DYNAMIC RESULT SETS clause.
2. Declare the cursor.
3. Open the cursor in the SQL procedure.
4. Close the cursor.
5. Return to the application.
- B. 1. Create the procedure using the DYNAMIC RESULT SETS clause.
2. Declare the cursor using the WITH RETURN clause.
3. Open the cursor in the SQL procedure.
4. Return to the application.
- C. 1. Create the procedure using the WITH RETURN clause.
2. Declare the cursor using the DYNAMIC RESULT SETS clause.
3. Open the cursor in the SQL procedure.
4. Return to the application.
- D. 1. Create the procedure using the WITH RETURN clause.
2. Declare the cursor using the DYNAMIC RESULT SETS clause.
3. Open the cursor in the SQL procedure.
4. Close the cursor.

Answer: B

NO.8 Which statement can be used to declare a variable inside an SQL procedure that can be used to

represent a monetary value?

- A. DECLARE v_money MONEY;
- B. DECLARE v_money DOUBLE;
- C. DECLARE v_money DECIMAL(9,2);
- D. DECLARE v_money CURRENCY;

Answer: C

This document was created with Win2PDF available at <http://www.win2pdf.com>.

The unregistered version of Win2PDF is for evaluation or non-commercial use only.

This page will not be added after purchasing Win2PDF.

NO.9 What will be the initial value of V_MAX in the declaration statement shown below? DECLARE v_max

DECIMAL(9,2);

- A. 0.0
- B. 2
- C. 9
- D. NULL

Answer: D

NO.10 Which statement can be used to define an array of 30 names that have a maximum size of 25 characters each?

- A. CREATE TYPE names AS VARCHAR(25) ARRAY[30];
- B. CREATE ARRAY names[30] VARCHAR(25);
- C. CREATE TYPE names[30] VARCHAR(25);
- D. CREATE ARRAY names AS VARCHAR(25);

Answer: A